

## REFERENCES

- Abrahamson, N.A., 1992, "Non-stationary spectral matching program." *Seismological Research Letters*, v. 63, no. 1, p. 30.
- American Association of State Highway and Transportation Officials, 1999, *Guide Specifications for Seismic Isolation Design*. 2<sup>nd</sup> Edition. Washington, DC: American Association of State Highway and Transportation Officials.
- American Association of State Highway and Transportation Officials, 1998, *LRFD Bridge Design Specifications*. 2nd Edition. Washington, DC: American Association of State Highway and Transportation Officials.
- American Association of State Highway and Transportation Officials, 1996, *Standard Specifications for Highway Bridges*. 16th Edition. Washington, DC: American Association of State Highway and Transportation Officials.
- American Institute of Steel Construction, 1997, *Seismic Provisions for Structural Steel Buildings*, Chicago, Illinois.
- American Society of Mechanical Engineers, 1985, *surface Texture (Surface Roughness, Waviness and Lay)*, ANSI/ASME B46.1-1985, New York.
- ASCE, Standards Committee on Testing of Base Isolation Systems, 1996, *ASCE Standard for Testing Seismic Isolation Systems, Units and Components*, Draft C, American Society of Civil Engineers, Reston, Virginia.
- Andrus, R. D. and Chung, R. M., 1995, "Ground Improvement Techniques for Liquefaction Remediation Near Existing Lifelines." National Institute of Standards and Technology Report NISTIR 5714, Gaithersburg, MD, 74 pp.
- Applied Technology Council and Multidisciplinary Center for Earthquake Engineering Research (ATC/MCEER), 1999a, *Interim Report for Comprehensive Specification for the Seismic Design of Bridges*, NCHRP Project 12-49, Part 2, Appendix D, *Assessment of and Recommendations for National Earthquake Ground Motion Maps, Site Factors, and Response Spectra Construction Procedures for a New Specification for the Seismic Design of Bridges*, March 1, 1999.
- Applied Technology Council and Multidisciplinary Center for Earthquake Engineering Research (ATC/MCEER), 1999b, *Major LRFD Seismic Design Criteria Issues*, *Comprehensive Specification for the Seismic Design of Bridges*, NCHRP Project 12-49, November 30, 1999.
- Arulanandan, K. and Zeng, X., 1994, "Mechanism of Flow Slide-Experimental Results of Model No. 6," *Verification of Numerical Procedures for the Analysis of Soil Liquefaction Problems*, Arulanandan and Scott (eds.), *Proceedings of International Conference*, Davis, California, October 17-20, Vol. 2, A. A. Balkema, Rotterdam, The Netherlands, p. 1543-1551.
- ASCE (1997) *Committee on Soil Improvement and Geosynthetics of the Geo-Institute*, 1997, *Ground Improvement, Ground Reinforcement, Ground Treatment, Developments 1987 1997*, *Geotech. Special Pub. No. 69*, ASCE, New York, 616 pp.
- ASTM, 1998, *Soil and Rock*, American Society for Testing and Materials, v. 4.08.
- ATC and BSSC, 1997, *Applied Technology Council and Building Seismic Safety Council, NEHRP Guidelines for the Seismic Rehabilitation of Buildings*, Federal Emergency Management Agency Report FEMA-273

- ATC/MCEER, 2000, "Liquefaction Study Report (Draft) ," NCHRP 12-49, Comprehensive Specifications for Seismic Design of Bridges, Applied Technology Council/Multidisciplinary Center for Earthquake Engineering, Oct.
- Baez, J.I. and Martin, G.R., 1995a, "Permeability and Shear Wave Velocity of Vibro-Replacement Stone Columns, Soil Improvement for Earthquake Hazard Mitigation," *Geotech. Special Pub. No. 49*, ASCE7 66-81.
- Baez, J.I. 1995b, "A Design Model for the Reduction of Soil Liquefaction by Vibro-Stone Columns," Ph.D. Dissertation, University of Southern California, Los Angeles, CA., p. 207.
- Baez, J.I., 1997, "Vibro-Stone Columns, Soil Improvement – A 20 Year Update," *Ground Improvement, Ground Reinforcement, Ground Treatment Developments 1987-1997*, V.R. Schaefer (Editor), Geotechnical Special Publication No. 69, ASCE, Logan, UT. 1997.
- Balakrishnan, A., Kutter, B.L., and Idriss, I.M., 1998, "Remediation and Apparent Shear Strength of Lateral Spreading Centrifuge Models," *Proc. Fifth Caltrans Seismic Research Workshop*, Sacramento, June.
- Bartlett, S. F. and Youd, T. L., 1992, "Empirical Analysis of Horizontal Ground Displacement Generated by Liquefaction Induced Lateral Spreads," *Tech. Rept. NCEER 92-0021*, National Center for Earthquake Engineering Research, SUNY-Buffalo, Buffalo, NY.
- Berrill, J. B., Christensen, S A., Keenan, R. J., Okada, W. and Pettinga, J R., 1997, "Lateral-spreading Loads on a Piled Bridge Foundation," *Seismic Behavior of Ground and Geotechnical Structures*, Proc., Special Technical Session on Earthquake Geotechnical Engineering, 14<sup>th</sup> ICSMFE, A. A. Balkema, Rotterdam, 173-183.
- Boulanger, R.W., and Hayden, R.F., 1995, "Aspects of Compaction Grouting of Liquefiable Soil," *Journal of Geotechnical Engineering*, ASCE, Vol. 121, No. 12, p. 844-855.
- British Standards Institution, 1979, *Commentary on Corrosion at Bimetallic Contacts and Its Alleviation*. BSI Standards PD 6484. Confirmed March 1990. London: British Standards Institution.
- British Standards Institution, 1983, BS5400 – Steel, Concrete and Composite Bridges: Part 9, Bridge Bearings. London: British Standards Institution.
- Building Seismic Safety Council, 1997, *NEHRP Recommended Provisions for Seismic Regulations for New Buildings and Other Structures*. Report FEMA 302, Washington, DC.
- Building Seismic Safety Council (BSSC), 2001, 2000 Edition of NEHRP Recommended Provisions for Seismic Regulations for New Buildings and Other Structures: Building Seismic Safety Council, Washington, D.C., Report FEMA 368 and 369.
- Caltrans Seismic Advisory Board Ad Hoc Committee on Soil-Foundation-Structure Interaction (CSABAC), 1999, *Seismic Soil-Foundation-Structure Interaction*, Final report prepared for California Department of Transportation, February.
- Chang, C.-Y., Mok, C.M., Power, M.S., and Tang, Y.K., 1991, Analysis of ground response at Lotung large-scale soil-structure interaction experiment site, Report No. NP-7306-SL, Electric Power Research Institute, Palo Alto, California.
- Constantinou, M. C. and J. K. Quarshie, 1998, *Response Modification Factors for Seismically Isolated Bridges*. Technical Report MCEER-98-0014, Multidisciplinary Center for Earthquake Engineering Research, Buffalo, New York.
- Constantinou, M. C., P. Tsopelas, A. Kasalanati, and E. D. Wolff, 1999, *Property Modification Factors for Seismic Isolation Bearings*. Technical Report MCEER-99-0012, Multidisciplinary Center for Earthquake Engineering Research, Buffalo, New York.

- Cooke, H. G. and Mitchell, J. K., 1999, "Guide to Remedial Measures for Liquefaction Mitigation at Existing Highway Bridge Sites," Technical Report MCEER-99-015, Multidisciplinary Center for Earthquake Engineering Research, Buffalo, NY, 176 pp.
- Department of Defense, 1976, Dissimilar Metals. Military Standard MIL-STD 889B. Philadelphia, PA: Defense Printing Service Detachment Office.
- Dobry, R., 1995, "Liquefaction and Deformation of Soils and Foundations Under Seismic Conditions," State-of-the-Art Paper, Proceedings, Third Intl. Conf. on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, S. Prakash (ed.), St. Louis, MO, April 2-7, Vol. III, p. 1465-1490.
- Egan, J. A., Hayden, R. F., Scheibel, L. L., Otus, M. and Servanti, G.M., 1992, "Seismic Repair at Seventh Street Marine Terminal." Proc. of Grouting, Soil Improvement and Geosynthetics, ASCE Conference, New Orleans, R. H. Borden, R.D. Holtz, and I. Juran (eds), Geotechnical Special Publication No. 30, Vol. 2, pp. 867-878.
- Egan, J. A. and Wang, Z-L., 1991, "Liquefaction-Related Ground Deformation and Effects on Facilities at Treasure Island, San Francisco, During the 17 October 1989 Loma Prieta Earthquake," Proceedings of the 3<sup>rd</sup> Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction, San Francisco, California, December 17-19.
- Electric Power Research Institute, 1993, Guidelines for determining design basis ground motions, Report No. EPRI TR-102293, Electric Power Research Center, Palo Alto, California.
- Elgamal, A.W., Dobry, R., Parra, E. and Yang, Z., 1998, "Soil Dilation and Shear Deformations During Liquefaction," Proc. 4<sup>th</sup> Intl. Conf. on Case Histories in Geotechnical Engineering, S. Prakash (ed.), St. Louis, MO, March 8-15.
- European Standard on Structural Bearings, 1996, Eurocode EN 1337. Draft. Brussels.
- Fehling, E., Pauli, W. and Bouwkamp, J.G. (1992). "Use of vertical shear-links in eccentrically braced frames.", *Proc. 10th world conf. on earthquake enrg.*, Madrid, 9, 4475-4479.
- Fiegel, G.L. and Kutter, B.L., 1994, "Liquefaction-Induced Lateral Spreading of Mildly Sloping Ground," *Journal of Geotechnical Engineering*, ASCE, Vol. 120, No. 12, December, p. 2236-2243.
- Finn, W.D.L., 1991, "Assessment of Liquefaction Potential and Post Liquefaction Behavior of Earth Structures: Developments 1981-1991," State-of-the-Art Paper, Proc. of the Second Intl. Conf. on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, S. Prakash (ed.), St. Louis, MO, March 11-15, Vol. II, p. 1833-1850.
- Frankel, A.D., and Leyendecker, E.V., 2000, Uniform hazard response spectra and seismic hazard curves for the United States: CD-ROM Published by U.S. Geological Survey National Seismic Hazard Mapping Project, March.
- Frankel, A., Mueller, C., Barnhard, T., Perkins, D., Leyendecker, E., Dickman, N., Hanson, S., and Hooper, M., 1996, National seismic hazard maps: documentation June 1996: U.S. Geological Survey Open-File Report 96-532, 110 p.
- Frankel, A., Mueller, C., Barnhard, T., Perkins, D., Leyendecker, E., Dickman, N., Hanson, S., and Hooper, M., 1997a, Seismic hazard maps for the conterminous United States: U.S. Geological Survey Open-File Report 97-131, 12 maps.
- Frankel, A., Mueller, C., Barnhard, T., Perkins, D., Leyendecker, E., Dickman, N., Hanson, S., and Hooper, M., 1997b, Seismic hazard maps for California, Nevada, and western Arizona/Utah: U.S. Geological Survey Open-File Report 97-130, 12 maps.
- Frankel, A., Harmsen, S., Mueller, C., Barnhard, D., Leyendecker, E.V., Perkins, D., Hanson, S., Dickman, M., and Hooper, M., 1997c, U.S. Geological Survey national seismic hazard maps: uniform hazard

- spectra, deaggregation, and uncertainty, *in* Proceedings of the FHWA/NCEER Workshop on the National Representation of Seismic Ground Motion for New and Existing Highway Facilities: National Center for Earthquake Engineering Research Technical Report NCEER-97-0010, p. 39-73.
- Frankel, A., Mueller, C.S., Barnard, T.P., Leyendecker, E.V., Wesson, R.L., Harmsen, S.C., Klein, F.W., Perkins, D.M., Dickman, N.C., Hanson, S.L., and Hopper, H.G., 2000, USGS national seismic hazard maps: Earthquake Spectra, v. 16, no. 1, p. 1-19.
- Franklin, A.G. and Chang, F.K., 1977, "Earthquake Resistance of Earth and Rock-Fill Dams; Permanent Displacements of Earth Embankments by Newmark Sliding Block Analysis," Miscellaneous Paper S-71-17, Report 5, U.S. Army Waterways Experiment Station, CE, Vicksburg, MS.
- Friedland, I.F., Power, M.S., and Mayes, R.L., eds. (1997), Proceedings of the FHWA/NCEER Workshop on National Representation of Seismic Ground Motion for New and Existing Highway Facilities, May 29 and 30, San Francisco, California. Multidisciplinary Center for Earthquake Engineering Research, Buffalo, N.Y.
- Hayden, R.F., and Baez, J.I., 1994, "State of Practice for Liquefaction Mitigation in North America," Proceedings of the 4th U.S.-Japan Workshop on Soil Liquefaction, Remedial Treatment of Potentially Liquefiable Soils, PWRI, Tsukuba City, Japan, July-4-6.
- Highway Innovative Technology Evaluation Center (HITEC), 1996, Guidelines for the Testing of Seismic Isolation and Energy Dissipation Devices. CERF Report: HITEC 96-02. Washington, DC: HITEC.
- Houston, S.L., Houston, W.N. and Padilla, J.M., 1987, "Microcomputer-Aided Evaluation of Earthquake-Induced Permanent Slope Displacements," Microcomputers in Civil Engineering, Vol. 2, p. 207-222.
- Hynes, M.E. and Franklin, A.G., 1984, "Rationalizing the Seismic Coefficient Method," Miscellaneous Paper GL-84-13, U.S. Army Waterways Experiment Station, Vicksburg, MS, July, 21 p.
- ICBO, 1994, Uniform Building Code: Structural Engineering Design Provision. Vol. 2, International Conference of Building Officials, Whittier, California.
- Idriss, I.M., and Sun, J.I., 1992, User's Manual for SHAKE91, Center for Geotechnical Modeling, Department of Civil and Environmental Engineering, University of California, Davis, California, 13 p. (plus Appendices).
- International Code Council, Inc. (ICC), 2000, International Building Code: Building Officials and Code Administrators International Inc., International Conference of Building Officials, and Southern Building Code Congress International, Inc., Birmingham, Alabama.
- Ishihara, K., 1993, "Liquefaction and Flow Failure During Earthquakes," 33<sup>rd</sup> Rankine Lecture, Geotechnique, Vol. 43, No. 3.
- Ishihara, K. and Cubrinovski, M., 1998, "Problems Associated with Liquefaction and Lateral Spreading During Earthquake," Geotechnical Earthquake Engineering and Soil Dynamic III, ASCE, Geotechnical Special Publication, No. 75, Vol. 1, pp. 301-312.
- Itasca, 1998, Fast Lagrangian Analysis of Continua, Itasca Consulting Group, Minneapolis, MN
- Jackura, K. A. and Abghari, A., 1994, "Mitigation of Liquefaction Hazards at Three California Bridge Sites," Proc., 5th U.S.-Japan Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures Against Soil Liquefaction, Technical Report NCEER-94-0026, NCEER, Buffalo, NY, 495-513.
- Jibson, R.W., 1993, "Predicting Earthquake-Induced Landslide Displacements Using Newmark's Sliding Block Analysis," Transportation Research Record 1411, National Research Council, 17p.

- Kasai, K. and Popov, E.P. (1986). "Cyclic web buckling control for shear link beams.", *J. Struct. Engrg.*, ASCE, 112(3), 505-523.
- Kelly, J., 1997, *Earthquake Resistant Design with Rubber*, Earthquake Engineering Research Center, National Information Service for Earthquake Engineering, Springer-Verlag London Limited, 2nd Edition. Richmond, California.
- Kim, D. K., J. B. Mander, and S. S. Chen, 1996, Temperature and Strain Rate Effects on the Seismic Performance of Elastomeric and Lead-Rubber Bearings. Proc., 4th World Congress on Joint Sealing and Bearing Systems for Concrete Structures, American Concrete Institute, Publication SP-164. Vol. 1.
- Klein, F., Frankel, A., Mueller, C., Wesson, R., and Okubo, P., 1999, Seismic hazard maps for Hawaii: U.S. Geological Survey Geologic Investigation Series, in review (maps also on Website at <http://geohazards.cr.usgs.gov/eq/>).
- Kramer, S.L., 1996, *Geotechnical Earthquake Engineering*, Prentice Hall, New Jersey.
- Kramer, S.L., Sivanesarwan, N., and Tucker, K. 1995, "Seismic Vulnerability of the Alaska Way Viaduct: Geotechnical Engineering Aspects," Washington State Transportation Center (TRAC), University of Washington, July.
- Lee, D. D., 1993, The Base Isolation of Koeberg Nuclear Power Station 14 Years After Installation, Post-SMiRT Conference on Isolation, Energy Dissipation and Control of Vibration of Structures. Capri, Italy.
- Lee, M.K.W., and Finn, W.D.L., 1978, "DESRA-2, Dynamic effective stress response analysis of soil deposits with energy transmitting boundary including assessment of liquefaction potential," Soil Mechanics Series No. 36, Department of Civil Engineering, University of British Columbia, Vancouver, Canada, 60 p.
- Leyendecker, E.V., Frankel, A.D., and Rukstales, K.S., 2000a, Seismic design parameters for use with the 2000 International Building Code, 2000 International Residential Code, 1997 NEHRP Seismic Design Provisions, and 1997 NEHRP Rehabilitation Guidelines: CD-ROM Published by the U.S. Geological Survey in Cooperation with the Federal Engineering Management Agency and the Building Seismic Safety Council.
- Leyendecker, E.V., Hunt, R.J., Frankel, A.D., and Rukstales, K.S., 2000b, Development of maximum considered earthquake ground motion maps: *Earthquake Spectra*, v. 16, no. 1, 21-40.
- Li, X.S., Wang, Z.L., and Shen, C.K., 1992, SUMDES, A nonlinear procedure for response analysis of horizontally-layered sites subjected to multi-directional earthquake loading, Department of Civil Engineering, University of California, Davis.
- Lilhanand, K., and Tseng, W.S., 1988, Development and application of realistic earthquake time-histories compatible with multiple-damping design spectra, in *Proceedings of the 9th World Conference of Earthquake Engineering*, Tokyo-Kyoto: Japan Association for Earthquake Disaster Prevention.
- Luehring, R., Dewey, B., Mejia, L., Stevens, M. and Baez, J., 1998, "Liquefaction Mitigation of Silty Dam Foundation Using Vibro-Stone Columns and Drainage Wicks – A Test Section Case History at Salmon Lake Dam," *Proceedings of the 1998 Annual Conference Association of State Dam Safety Officials*, Las Vegas, NV, October 11-14.
- Mace, Nicholas and Martin, Geoffrey R., 2001, "An Investigation of Compaction Grouting for Liquefaction Mitigation," Technical Report, FHWA Contract No. DTFH61-92-C-00106, Multidisciplinary Center for Earthquake Engineering, Buffalo, New York.
- Makdisi, F.I. and Seed, H.B., 1978, "Simplified Procedure for Estimating Dam and Embankment Earthquake-Induced Deformations," *Journal of Geotechnical Engineering*, ASCE, Vol. 104, No. 7, p. 849-867.

- Malley, J. O. and Popov, E. P. (1983). "Design considerations for shear links in eccentrically braced frames.", *EERC report 83-24*, Univ. of Calif., Berkeley, CA.
- Martin, Geoffrey R., 1998, "Development of Liquefaction Mitigation Methodologies: Ground Densification Methods," National Center for Earthquake Engineering Research, Technical Report, Buffalo, New York.
- Martin, G. R., 1989, "Some Observations on the Mechanics of Post-Liquefaction Deformations," Proceedings of the 2<sup>nd</sup> U.S.-Japan Workshop on Liquefaction, Large Ground Deformation, and their Effects on Lifelines, State University of New York, Buffalo, New York and Cornell University, Ithaca, New York, NCEER Technical Report NCEER-89-0032, September 26-29.
- Martin, G.R., Tsai, C-F., and Arulmoli, K., 1991, "A Practical Assessment of Liquefaction Effects and Remediation Needs," Proceedings, 2<sup>nd</sup> International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, St. Louis, Missouri, March 11-15.
- Martin, G.R. and Qiu, P., 1994, "Effects of Liquefaction on Vulnerability Assessment", NCEER Highway Project on Seismic Vulnerability of New and Existing Highway Construction, Year One Research Tasks – Technical Research Papers.
- Martin, Geoffrey R. and Qiu, Ping, 2001, "Site Liquefaction Evaluation: The Application of Effective Stress Site Response Analyses," Technical Report, FHWA Contract No. DTFH61-92-C00106, Multidisciplinary Center for Earthquake Engineering Research, Buffalo, New York.
- Martin, G.R. and Qiu, P., 2000, "Site Liquefaction Evaluation: The Application of Effective Stress Site Response Analyses, Multidisciplinary Center for Earthquake Engineering Research," NCEER Task Number 106-E-3.1 (A), Buffalo.
- Matasovic, N., 1993, "Seismic response of composite horizontally-layered soil deposits," Ph.D. Dissertation, Civil and Environmental Engineering Department, University of California, Los Angeles, 452 p.
- MCEER, 2000, "Seismic Retrofitting Manual for Highway Structure: Part II – Retraining Structures, Slopes, Tunnels, Culverts, and Pavements," Multidisciplinary Center for Earthquake Engineering Research," NCEER Task Number 106-G-3.2, Buffalo, August.
- Meyersohn, W.D., O'Rourke, T.D., and Miura, F., 1992, Lateral Spread Effects on Reinforced Concrete Pile Foundations, *Fifth U.S.-Japan Workshop on Earthquake Disaster Prevention for Lifeline Systems*, Tsukuba, Japan.
- Mitchell, J. K., Baxter, C. D. P., and Munson, T. C., 1995, "Performance of Improved Ground During Earthquakes," Soil Improvement for Liquefaction hazard Mitigation, Geotech. Special Pub. No. 49, ASCE, 1-36.
- Mitchell, J. K., Cooke, H. G., and Schaeffer, J. A., 1998, "Design Considerations in ground Improvement for Seismic Risk Mitigation," Proc., Geotechnical Earthquake Engineering and Soil Dynamics III, Vol. I, Geotech. Special Pub. No. 75., ASCE, Reston, VA, 580-613.
- Nakano, O., H. Nishi, T. Shirono, and K. Kumagai, 1992, Temperature-Dependency of Base Isolation Bearings. Proc., Second U.S.-Japan Workshop on Earthquake Protective Systems for Bridges. Tsukuba, Japan.
- Nakashima, M. (1995). "Strain-hardening behavior of shear panels made of low-yield steel. I: Test.", *J. Struct. Engrg.*, ASCE, 121(12), 1742-1749.
- National Institute of Standards and Technology, 1996, Guidelines for Pre-Qualification, Prototype and Quality Control Testing of Seismic Isolation Systems. Publication NISTIR 5800. Gaithersburg, MD: National Institute of Standards and Technology, Building and Fire Research Laboratory.

- Newmark, N.M., 1965, "Effects of Earthquakes on Dams and Embankments," *Geotechnique*, Vol. 15, No. 2, p. 139-160.
- Newmark, N. M. and W. J. Hall, 1982, *Earthquake Spectra and Design*. Oakland, California: Earthquake Engineering Research Institute.
- NRC, 1985, "Liquefaction of Soils During Earthquakes," Committee on Earthquake Engineering, National Research Council, Washington, D.C., Report No. CETS-EE-001.
- O'Rourke, T. D., Gowdy, T. E., Stewart, H. E., and Pease, J. W., 1991, "Lifeline Performance and Ground Deformation in the Marina During 1989 Loma Prieta Earthquake," Proceedings of the 3<sup>rd</sup> Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction, San Francisco, California, NCEER Technical Report NCEER-91-0001, December 17-19.
- O'Rourke, T. D., Meyersohn, W. D., Shiba, Y. and Chaudhuri, D., 1994, "Evaluation of Pile Response to Liquefaction-Induced Lateral Spread," Proc., 5th U.S.-Japan Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures Against Soil Liquefaction, Technical Report NCEER-94-0026, NCEER, Buffalo, NY, 457-478.
- Petersen, M., Bryant, W., Cramer, C., Cao, T., Reichle, M., Frankel, A., Lienkaemper, J., McCorry, P., and Schwartz, D., 1996, Probabilistic seismic hazard assessment for the state of California: California Department of Conservation, Division of Mines and Geology Open-File Report 96-08, U.S. Geological Survey Open-File Report 96-706.
- Pfeiffer and Higgins, 1991 Article CB.3.2
- Poulos, S.J., Castro, G. and France, W., 1985, "Liquefaction Evaluation Procedure," *Journal of Geotechnical Engineering*, ASCE, Vol. 111, No. 6, p. 772-792.
- Pyke, R.M., 1992, TESS: A computer program for nonlinear ground response analyses. TAGA Engin. Systems & Software, Lafayette, California.
- Qiu, P., 1998, Earthquake-induced nonlinear ground deformation analyses: Ph.D. dissertation, University of Southern California, Los Angeles.
- Reaveley and Nordenson, 1992, Acceptable Damage in Low and Moderate Seismic Zones. Proceedings, 4th U.S.-Japan Workshop on Improvement of Structural Design and Construction Practices. ATC-15-3 Report. Redwood City, CA: Applied Technology Council.
- Reese, L.C., Wang, S.T., Arrellaga, J.S., Hendrix, J., 1998, LPILE Plus, ENSOFT, Inc., Austin, TX.
- Riemer, M. F., Lok, T. M. and Mitchell, J. K., 1996, "Evaluating Effectiveness of Liquefaction Remediation Measures for Bridges," Proc., 6th U.S.-Japan Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures Against Soil Liquefaction, Technical Report NCEER-96-0006, NCEER, Buffalo, NY.
- Roeder, C. W., J. F. Stanton, and A. W. Taylor, 1987, Performance of Elastomeric Bearings. National Cooperative Highway Research Program, Report 298. Washington, DC: Transportation Research Board.
- Salgado, R., Boulanger, R.W., and Mitchell, J.V., 1997, "Lateral Stress Effects on CPT Liquefaction Resistance Correlations," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, August.
- Sarraf, M., Bruneau, M. (1998a). Ductile Seismic Retrofit of Steel Deck-Truss Bridges. I: Strategy and Modeling", *ASCE Journal of Structural Engineering*, Vol.124, No.11, pp.1253-1262.
- Sarraf, M., Bruneau, M. (1998b). "Ductile Seismic Retrofit of Steel Deck-Truss Bridges. II: Design Applications", *ASCE Journal of Structural Engineering*, Vol.124, No.11, pp. 1263-1271.

- SCEC, 1999, "Recommended Procedures for Implementation of DMG Special Technical Publication 117, Guidelines for Analyzing and Mitigating Liquefaction in California," Southern California Earthquake Center, University of Southern California, March, 63 p.
- Schnabel, P.B., Seed, H.B., and Lysmer, J., 1972, SHAKE – a computer program for earthquake response analysis of horizontally layered sites: Report No. EERC-72-12, Earthquake Engineering Research Center, University of California, Berkeley.
- Seed, H.B., 1987, "Design Problems in Soil Liquefaction," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 113, No. 8, August.
- Seed, H.B. and DeAlba, P., 1986, "Use of SPT and CPT Tests for Evaluating the Liquefaction Resistance of Sands," *in* Clemence, S.P., editor, "Use of In Situ Tests in Geotechnical Engineering," New York, ASCE Geotechnical Special Publication No. 6, p. 281-302.
- Seed, H.B. and Harder, L.F., Jr., 1990, "SPT-Based Analysis of Cyclic Pore Pressure Generation and Undrained Residual Strength," *in* Proceedings, H. Bolton Seed Memorial Symposium, BiTech Publishers, Ltd., p. 351-376.
- Seed, H.B., and Idriss, I.M., 1970, Soil moduli and damping factors for dynamic response analyses, Report No. EERC 70-10, University of California, Berkeley, Earthquake Engineering Research Center.
- Seed, H.B. and Idriss, I.M., 1971, "Simplified Procedure for Evaluating Soil Liquefaction Potential," *Journal of the Soil Mechanics and Foundations Division*, ASCE, Vol. 97, No. SM9, p. 1249-1273.
- Seed, H.B. and Idriss, I.M., 1982, "Ground Motions and Soil Liquefaction During Earthquakes," *Earthquake Engineering Research Institute Monograph*.
- Seed, H. B., Idriss, I. M., and Arango, I., 1983, "Evaluation of Liquefaction Potential Using Field Performance Data," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 109, No. 3, March.
- Seed, H. B., Tokimatsu, K., Harder, L. F., and Chung, R. M., 1985, "Influence of SPT Procedures in Soil Liquefaction Resistance Evaluations," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 111, No. 12, December.
- Seed, H.B., Wong, R.T., Idriss, I.M., and Tokimatsu, K., 1986, Moduli and damping factors for dynamic analyses of cohesionless soils, *Journal of Geotechnical Engineering*, ASCE, v. 112, No. 11, pp. 1016-1032.
- Silva, W., and Lee, K., 1987, State-of-the-art for assessing earthquake hazards in the United States: Report 24, WES RASCAL code for synthesizing earthquake ground motions: U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi, Miscellaneous Paper 5-73-1.
- Soydemir, C., Zoli, T., LaPlante, K., Kraemer, S., Davidson, W. and McCabe, R., 1997, "Seismic Design of Central Artery Bridges Across Charles River in Boston: Geotechnical/Substructure Aspects," from NCEER Post Liquefaction ground Deformation Workshop, USC, August, 1997 (original source unknown).
- Stanton, J. F. and C. W. Roeder, 1982, *Elastomeric Bearings Design, Construction, and Materials*. National Cooperative Highway Research Program, Report 248. Washington, DC: Transportation Research Board.
- Stanton, J.F., C.W. Roeder, and T.I. Campbell, 1993, *High Load Multi-Rotational Bridge Bearings*. Final Report. National Cooperative Highway Research Program, NCHRP 10-20A. Washington, DC: Transportation Research Board.
- Stark, T.D. and Mesri, G., 1992, "Undrained Shear Strength of Liquefied Sands for Stability Analyses," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 118, No. 11, November, p. 1727-1747.



- Stark, T.D., Olson, S.M., Kramer, S.L., and Youd, T.L., 1998, "Shear Strength of Liquefied Soil," Proceedings, 1998 ASCE Specialty Conference on Geotechnical Earthquake Engineering and Soil Dynamics, Seattle, WA, August 3-6.
- Sun, J.I., Goleosorkhi, R., and Seed, H.B., 1988, Dynamic moduli and damping ratios for cohesive soils, Report No. UBC/EERC-88/15, University of California, Berkeley, Earthquake Engineering Research Center.
- Tokimatsu, K. and Seed, H. B., 1987, "Evaluation of Settlements in Sands Due to Earthquake Shaking," Journal of the Geotechnical Engineering Division, ASCE, Vol. 113, No. 8, August.
- United Kingdom Highways Directorate, 1976, Design Requirements for Elastomeric Bridge Bearings. Technical Memorandum BE 1/76. Department of Environment.
- U.S. Geological Survey (USGS), 1990, Probabilistic earthquake acceleration and velocity maps for the United States and Puerto Rico, by S.T. Algermisson, D.M. Perkins, P.C. Thenhaus, S.L. Hanson, and B.L. Bender, U.S. Geological Survey Miscellaneous Field Studies Map MF-2120.
- Use of Rubber Bearings for Rail Bridges, 1973, UIC Code 772R.
- Vucetic, M., and Dobry, R., 1991, Effect of soil plasticity on cyclic response, Journal of Geotechnical Engineering, ASCE, v. 117, No. 1, pp. 89-107.
- Wang, S.T. and Reese, L.C., 1998, "Designing Pile Foundations in Liquefied Soils," Geotechnical Earthquake Engineering and Soil Dynamics III, ASCE Geotechnical Special Publication, No. 75, Vol. 2, pp. 1331-1343.
- Wells, D.L. and Coppersmith, K.J., 1994, New Empirical Relationships Among Magnitude, Rupture Length, Rupture Area, and Surface Displacement," Bulletin of the Seismological Society of America, Vol. 84, p. 974-1002.
- Wesson, R.L., Frankel, A.D., Mueller, C.S., and Harmsen, S.C., 1999a, Probabilistic seismic hazard maps of Alaska: U.S. Geological Survey Open-File Report 99-36.
- Wesson, R.L., Frankel, A.D., Mueller, C.S., and Harmsen, S.C., 1999b, Seismic hazard maps of Alaska and the Aleutian Islands: U.S. Geological Survey Investigation Series, map I-2679.
- Whalen, T., and E. Simiu, 1998, "Assessment of wind load factors for hurricane-prone regions," Structural Safety, No. 20, Elsevier Science Ltd.
- Wilson, D. W., Boulanger, R. W., and Kutter, B.L., 1999, "Lateral Resistance of Piles in Liquefying Sand," Analysis, Design, Construction, and Testing of Deep Foundation, Proc., Offshore Technology Research Center '99 Conference, Geotechnical Special Publication No. 88, ASCE, Reston, VA, 165-179.
- Wong, C.P. and Whitman, R.V., 1982. "Seismic Analysis and Improved Seismic Design Procedure for Gravity Retaining Walls," Research Report 82-83, Department of Civil Engineering, Massachusetts Institute of Technology, Cambridge, MA.
- Youd, T.L., 1995, "Liquefaction-Induced Lateral Ground Displacement," State-of-the-Art Paper, Proceedings, Third Intl. Conf. on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, S. Prakash (ed.), St. Louis, MO, April 2-7, Vol. II, p. 911-925.
- Youd, T.L., Hansen, C.M., and Bartlett, S.F., 1999, Revised MLR Equations for Predicting Lateral Spread Displacement, Proceedings, 7<sup>th</sup> U.S.-Japan Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures Against Liquefaction, Seattle, Washington, Multidisciplinary Center for Earthquake Engineering Research Technical Report MCEER-99-0019, p. 99-114.

Youd, T. L. and Idriss, I.M. (Editors), 1997, *Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, Salt Lake City, UT, January 5-6, 1996, NCEER Technical Report NCEER-97-0022, Buffalo, NY.

Zahrai, S.M., Bruneau, M., (1999). "Cyclic Testing of Ductile End-Diaphragms for Slab-on-Girder Steel Bridges", ASCE Journal of Structural Engineering, Vol. 125, No.9, pp.987-996.

Zahrai, S.M., Bruneau, M., (1999). "Ductile End-Diaphragms for the Seismic Retrofit of Slab-on-Girder Steel Bridges", ASCE Journal of Structural Engineering, Vol.125, No.1, pp.71-80.